


MICRO GRAIN CARBIDE HIGH PERFORMANCE DRILLS - Endmill Shank - 2F(5xD)

高效能泛用鑽頭-標準型-5xD (銑刀柄)

DSF-MA2

DSF-NA2



CUTTING EFFECTED LENGTH = 5xD

Dimension

- Sim. DIN6537
- 140 Degree Tip Angle
- 25~35 Degree Helix Angle
- Without Coolant Hole
- S-Fire Coating

Tolerance

- d h7
- D h6

Material

- ALLOY STEELS
- STAINLESS STEELS
- CAST IRON
- TITANIUM STEELS

Recommend

Cutting Condition


Table 1

Order No. 訂購編號	Dia. 刃徑 (d)	CL 刃長 (L1)	OAL 全長 (L)	Shank 柄徑 (D)
DSFMA203006U	3.00	28	66	4
DSFMA203176U	3.175	28	66	4
DSFMA203256U	3.25	28	66	4
DSFMA203306U	3.30	28	66	4
DSFMA203406U	3.40	28	66	4
DSFMA203506U	3.50	28	66	4
DSFMA203576U	3.57	28	66	4
DSFMA203706U	3.70	36	74	4
DSFMA203806U	3.80	36	74	4
DSFMA203976U	3.97	36	74	4
DSFNA204006U	4.00	36	74	6
DSFNA204106U	4.10	36	74	6
DSFNA204206U	4.20	36	74	6
DSFNA204306U	4.30	36	74	6
DSFNA204406U	4.40	36	74	6
DSFNA204506U	4.50	36	74	6
DSFNA204606U	4.60	36	74	6
DSFNA204656U	4.65	36	74	6
DSFNA204706U	4.70	36	74	6
DSFNA204806U	4.80	44	82	6
DSFNA204906U	4.90	44	82	6
DSFNA205006U	5.00	44	82	6
DSFNA205106U	5.10	44	82	6
DSFNA205206U	5.20	44	82	6
DSFNA205306U	5.30	44	82	6
DSFNA205406U	5.40	44	82	6
DSFNA205506U	5.50	44	82	6
DSFNA205556U	5.55	44	82	6
DSFNA205606U	5.60	44	82	6
DSFNA205706U	5.70	44	82	6
DSFNA205806U	5.80	44	82	6
DSFNA205906U	5.90	44	82	6
DSFNA206006U	6.00	44	82	6
DSFNA206106U	6.10	53	91	8
DSFNA206206U	6.20	53	91	8
DSFNA206306U	6.30	53	91	8
DSFNA206406U	6.40	53	91	8
DSFNA206506U	6.50	53	91	8
DSFNA206606U	6.60	53	91	8
DSFNA206706U	6.70	53	91	8
DSFNA206806U	6.80	53	91	8
DSFNA206906U	6.90	53	91	8

11/10/2

DSF-MA2

DSF-NA2



CUTTING EFFECTED LENGTH = 5xD

Dimension

- Sim. DIN6537
- 140 Degree Tip Angle
- 25~35 Degree Helix Angle
- Without Coolant Hole
- S-Fire Coating

Tolerance

- d h7
- D h6

Material


- ALLOY STEELS
- STAINLESS STEELS
- CAST IRON
- TITANIUM STEELS

Recommend Cutting Condition

Order No. 訂購編號	Dia. 刀徑 (d)	CL 刃長 (L1)	OAL 全長 (L)	Shank 柄徑 (D)
DSFNA207006U	7.00	53	91	8
DSFNA207106U	7.10	53	91	8
DSFNA207206U	7.20	53	91	8
DSFNA207306U	7.30	53	91	8
DSFNA207406U	7.40	53	91	8
DSFNA207506U	7.50	53	91	8
DSFNA207606U	7.60	53	91	8
DSFNA207706U	7.70	53	91	8
DSFNA207806U	7.80	53	91	8
DSFNA207906U	7.90	53	91	8
DSFNA208006U	8.00	53	91	8
DSFNA208106U	8.10	61	102	10
DSFNA208206U	8.20	61	102	10
DSFNA208306U	8.30	61	102	10
DSFNA208406U	8.40	61	102	10
DSFNA208506U	8.50	61	102	10
DSFNA208606U	8.60	61	102	10
DSFNA208706U	8.70	61	102	10
DSFNA208806U	8.80	61	102	10
DSFNA208906U	8.90	61	102	10
DSFNA209006U	9.00	61	102	10
DSFNA209106U	9.10	61	102	10
DSFNA209206U	9.20	61	102	10
DSFNA209256U	9.25	61	102	10
DSFNA209306U	9.30	61	102	10
DSFNA209406U	9.40	61	102	10
DSFNA209506U	9.50	61	102	10
DSFNA209606U	9.60	61	102	10
DSFNA209706U	9.70	61	102	10
DSFNA209806U	9.80	61	102	10
DSFNA209906U	9.90	61	102	10
DSFNA210006U	10.00	61	102	10
DSFNA210106U	10.10	71	118	12
DSFNA210206U	10.20	71	118	12
DSFNA210306U	10.30	71	118	12
DSFNA210406U	10.40	71	118	12
DSFNA210506U	10.50	71	118	12
DSFNA210606U	10.60	71	118	12
DSFNA210706U	10.70	71	118	12
DSFNA210806U	10.80	71	118	12
DSFNA210906U	10.90	71	118	12
DSFNA211006U	11.00	71	118	12
DSFNA211106U	11.10	71	118	12
DSFNA211206U	11.20	71	118	12
DSFNA211306U	11.30	71	118	12
DSFNA211406U	11.40	71	118	12
DSFNA211506U	11.50	71	118	12
DSFNA211606U	11.60	71	118	12
DSFNA211706U	11.70	71	118	12
DSFNA211806U	11.80	71	118	12
DSFNA211906U	11.90	71	118	12

DSF-MA2

DSF-NA2



CUTTING EFFECTED LENGTH = 5xD

Dimension

- Sim. DIN6537
- 140 Degree Tip Angle
- 25~35 Degree Helix Angle
- Without Coolant Hole
- S-Fire Coating

Tolerance

- d h7
- D h6

Material

- ALLOY STEELS
- STAINLESS STEELS
- CAST IRON
- TITANIUM STEELS

Recommend

Cutting Condition

Order No. 訂購編號	Dia. 刀徑 (d)	CL 刃長 (L1)	OAL 全長 (L)	Shank 柄徑 (D)
DSFNA212006U	12.00	71	118	12
DSFNA212106U	12.10	77	124	14
DSFNA212206U	12.20	77	124	14
DSFNA212306U	12.30	77	124	14
DSFNA212406U	12.40	77	124	14
DSFNA212506U	12.50	77	124	14
DSFNA212606U	12.60	77	124	14
DSFNA212706U	12.70	77	124	14
DSFNA212806U	12.80	77	124	14
DSFNA212906U	12.90	77	124	14
DSFNA213006U	13.00	77	124	14
DSFNA213106U	13.10	77	124	14
DSFNA213306U	13.30	77	124	14
DSFNA213406U	13.40	77	124	14
DSFNA213506U	13.50	77	124	14
DSFNA213606U	13.60	77	124	14
DSFNA213706U	13.70	77	124	14
DSFNA213806U	13.80	77	124	14
DSFNA213906U	13.90	77	124	14
DSFNA214006U	14.00	77	124	14
DSFNA214106U	14.10	83	130	16
DSFNA214206U	14.20	83	130	16
DSFNA214306U	14.30	83	130	16
DSFNA214406U	14.40	83	130	16
DSFNA214506U	14.50	83	130	16
DSFNA214606U	14.60	83	130	16
DSFNA214706U	14.70	83	130	16
DSFNA214806U	14.80	83	130	16
DSFNA214906U	14.90	83	130	16
DSFNA215006U	15.00	83	130	16
DSFNA215106U	15.10	83	130	16
DSFNA215206U	15.20	83	130	16
DSFNA215306U	15.30	83	130	16
DSFNA215406U	15.40	83	130	16
DSFNA215506U	15.50	83	130	16
DSFNA215606U	15.60	83	130	16
DSFNA215706U	15.70	83	130	16
DSFNA215806U	15.80	83	130	16
DSFNA215906U	15.90	83	130	16
DSFNA216006U	16.00	83	130	16
DSFNA216506U	16.50	93	143	18
DSFNA217006U	17.00	93	143	18
DSFNA217506U	17.50	93	143	18
DSFNA218006U	18.00	93	143	18
DSFNA218506U	18.50	101	153	20
DSFNA219006U	19.00	101	153	20
DSFNA219506U	19.50	101	153	20
DSFNA220006U	20.00	101	153	20